

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Tana-Chemie GmbH  
Werner & Mertz Group

## SANET SPRAY 10 X 750 ML

WM 1215486

Order number: 0715486

Version 2.15

Revision Date 12.03.2025

Print Date 24.04.2025

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : SANET SPRAY 10 X 750 ML  
UFI : MY9C-E0AA-Y000-7XKJ

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Cleaning agent  
Restricted to professional users.

#### 1.3 Details of the supplier of the safety data sheet

Company : Tana Chemie GmbH  
Rheinallee 96  
55120 Mainz  
Telephone : +49613196403  
Telefax : +4961319642414  
E-mail address : Produktsicherheit@werner-mertz.com  
Responsible/issuing person  
Contact person : Product development / product safety

#### 1.4 Emergency telephone number

+49(0)551-19240

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008)**

Not a hazardous substance or mixture.

#### 2.2 Label elements

**Labelling (REGULATION (EC) No 1272/2008)**

Not a hazardous substance or mixture.

Safety data sheet available on request.

#### 2.3 Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).  
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

##### Components

Chemical name	CAS-No.	Classification	Concentration
---------------	---------	----------------	---------------



## SANET SPRAY 10 X 750 ML

WM 1215486

Order number: 0715486

Version 2.15

Revision Date 12.03.2025

Print Date 24.04.2025

	EC-No. Index-No. Registration number		(% w/w)
Citric acid	77-92-9 201-069-1 607-750-00-3 01-2119457026-42	STOT SE 3; H335 Eye Irrit. 2; H319	>= 2 - < 5
ethanol	64-17-5 200-578-6 603-002-00-5 01-2119457610-43	Flam. Liq. 2; H225 Eye Irrit. 2; H319  specific concentration limit Eye Irrit. 2; H319 >= 50 %	>= 2 - < 5
Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	85586-07-8 287-809-4 01-2119489463-28	Eye Dam. 1; H318 Acute Tox. 4; H302 Skin Irrit. 2; H315 Aquatic Chronic 3; H412  specific concentration limit Eye Irrit. 2; H319 10 - < 20 % Eye Dam. 1; H318 >= 20 %	>= 1 - < 2

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- General advice : No hazards which require special first aid measures.
- If inhaled : Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion.  
If symptoms persist, call a physician.
- In case of skin contact : Take off contaminated clothing and shoes immediately.  
Wash off with soap and plenty of water.
- In case of eye contact : Protect unharmed eye.  
If easy to do, remove contact lens, if worn.  
Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.

#### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : No information available.
- Risks : No information available.



## SANET SPRAY 10 X 750 ML

WM 1215486

Order number: 0715486

Version 2.15

Revision Date 12.03.2025

Print Date 24.04.2025

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : For specialist advice physicians should contact the Poisons Information Service.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : No hazardous combustion products are known

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

### 6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water courses.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Neutralize with chalk, alkali solution or ammonia.  
Sweep up and shovel.  
Wipe up with absorbent material (e.g. cloth, fleece).  
Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For personal protection see section 8., Treat recovered material as described in the section "Disposal considerations"., Refer to section 15 for specific national regulation.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8.



## SANET SPRAY 10 X 750 ML

WM 1215486

Order number: 0715486

Version 2.15

Revision Date 12.03.2025

Print Date 24.04.2025

No special handling advice required.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : Wash hands before breaks and at the end of workday.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container.

Advice on common storage : No special restrictions on storage with other products.

Further information on storage stability : No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

Specific use(s) : Cleaning agent

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

**Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:**

Substance name	End Use	Exposure routes	Potential health effects	Value
ethanol	Workers	Inhalation	Acute local effects	1900 mg/m <sup>3</sup>
	Workers	Inhalation	Long-term systemic effects	950 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	343 mg/kg
	Consumers	Inhalation	Acute local effects	950 mg/m <sup>3</sup>
	Consumers	Skin contact	Long-term systemic effects	206 mg/kg
	Consumers	Inhalation	Long-term systemic effects	114 mg/m <sup>3</sup>
	Consumers	Ingestion	Long-term systemic effects	87 mg/kg
	Consumers	Skin contact	Acute local effects	950 mg/m <sup>3</sup>
Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	Workers	Inhalation	Long-term systemic effects	285 mg/m <sup>3</sup>



## SANET SPRAY 10 X 750 ML

WM 1215486

Order number: 0715486

Version 2.15

Revision Date 12.03.2025

Print Date 24.04.2025

	Workers	Skin contact	Long-term systemic effects	4060 mg/kg
	Consumers	Inhalation	Long-term systemic effects	85 mg/m <sup>3</sup>
	Consumers	Skin contact	Long-term systemic effects	2440 mg/kg
	Consumers	Ingestion	Long-term systemic effects	24 mg/kg

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Citric acid, citric acid	Fresh water	0,44 mg/l
	Marine water	0,044 mg/l
	STP	> 1000 mg/l
	Fresh water sediment	34,6 mg/kg
ethanol	Marine sediment	3,46 mg/kg
	Soil	33,1 mg/kg
	Fresh water	0,96 mg/l
	Marine water	0,79 mg/l
Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	Fresh water sediment	3,6 mg/kg
	Soil	0,63 mg/kg
	STP	580 mg/l
	intermittent release	2,75 mg/l
	Fresh water	0,131 mg/l
Sulfuric acid, mono-C12-14-alkyl esters, sodium salts	Marine water	0,0131 mg/l
	STP	1,35 mg/l
	Fresh water sediment	4,61 mg/kg dry weight (d.w.)
	Marine sediment	0,461 mg/kg dry weight (d.w.)
	Soil	0,846 mg/kg dry



## **SANET SPRAY 10 X 750 ML**

**WM 1215486**

**Order number: 0715486**

Version 2.15

Revision Date 12.03.2025

Print Date 24.04.2025

		weight (d.w.)
--	--	---------------

### **8.2 Exposure controls**

#### **Personal protective equipment**

Eye/face protection : not required under normal use

#### Hand protection

Material : not required under normal use

Material : For prolonged or repeated contact use protective gloves.

It is suggested the usage of chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374.

As alternative, a different type of gloves might be used if, accordingly to the recommendations of the producer, guarantee the same level of protection.

Remarks : Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

Skin and body protection : not required under normal use

Respiratory protection : not required under normal use

---

## **SECTION 9: Physical and chemical properties**

### **9.1 Information on basic physical and chemical properties**

Physical state : liquid

Colour : red

Odour : fruity

Melting point/freezing point : No data available

Boiling point/boiling range : No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Tana-Chemie GmbH  
Werner & Mertz Group

## SANET SPRAY 10 X 750 ML

WM 1215486

Order number: 0715486

Version 2.15

Revision Date 12.03.2025

Print Date 24.04.2025

Flammability (solid, gas)	: No data available
Flammability (liquids)	: No data available
Lower explosion limit	: No data available
Upper explosion limit	: No data available
Flash point	: 66 °C
Ignition temperature	: No data available
Decomposition temperature	: No data available
pH	: ca. 2,2, 100 % at 20 °C
Viscosity, dynamic	: similar to water
Viscosity, kinematic	: No data available
Water solubility	: soluble
Solubility in other solvents	: No data available
Partition coefficient: n- octanol/water	: No data available
Vapour pressure	: No data available
Density	: ca. 1,021 g/cm <sup>3</sup> at 20 °C
Relative density	: No data available
Relative vapour density	: No data available
Particle characteristics	: No data available

### 9.2 Other information

none

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Stable under recommended storage conditions.  
No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

### 10.4 Conditions to avoid

Conditions to avoid : No data available

### 10.5 Incompatible materials

Materials to avoid : No data available



## SANET SPRAY 10 X 750 ML

WM 1215486

Order number: 0715486

Version 2.15

Revision Date 12.03.2025

Print Date 24.04.2025

### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Our company is strongly against animal testing.

Our company does not place any orders for animal testing for the finished product or the ingredients.

However, as a result of EU legislation (REACH Regulation), the manufacturers of ingredients or EU importers are obliged to test ingredients with regard to their effects on human health and the environment before they are brought onto the market. Some of the tests made necessary by this took place decades ago.

#### Acute toxicity

##### Product:

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg  
Method: Calculation method

##### Components:

##### **Citric acid**

##### **77-92-9:**

Acute oral toxicity : LD50 Oral (Mouse): 5.400 mg/kg  
Method: OECD Test Guideline 401

LD50 Oral (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 402

Acute dermal toxicity : LD50 Dermal (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 402

##### **ethanol**

##### **64-17-5:**

Acute oral toxicity : LD50 Oral (Rat): 10.470 mg/kg  
Method: OECD Test Guideline 401

LD50 (Rat): 5.000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): 51 mg/l  
Exposure time: 4 h

Acute dermal toxicity : LD50 Dermal (Rabbit): > 2.000 mg/kg  
Method: OECD Test Guideline 402

LD50 Dermal (Rabbit): > 10.000 mg/kg  
Method: OECD Test Guideline 402

##### **Sulfuric acid, mono-C12-14-alkyl esters, sodium salts**

##### **85586-07-8:**

Acute oral toxicity : LD50 (Rat): 1.800 mg/kg

Acute dermal toxicity : (Rabbit): > 2.000 mg/kg

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Tana-Chemie GmbH  
Werner & Mertz Group

## SANET SPRAY 10 X 750 ML

WM 1215486

Order number: 0715486

Version 2.15

Revision Date 12.03.2025

Print Date 24.04.2025

### Skin corrosion/irritation

#### Product:

Remarks : According to the classification criteria of the European Union, the product is not considered as being a skin irritant.

#### Components:

##### ethanol

#### 64-17-5:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

### Sulfuric acid, mono-C12-14-alkyl esters, sodium salts

#### 85586-07-8:

Species : Rabbit  
Result : Skin irritation

### Serious eye damage/eye irritation

#### Product:

Remarks : According to the classification criteria of the European Union, the product is not considered as being an eye irritant.

#### Components:

##### Citric acid

#### 77-92-9:

Result : Eye irritation

##### ethanol

#### 64-17-5:

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Mild eye irritation

### Sulfuric acid, mono-C12-14-alkyl esters, sodium salts

#### 85586-07-8:

Species : Rabbit  
Result : irritating

### Respiratory or skin sensitisation

#### Product:

Remarks : No data available

#### Components:

##### Citric acid

#### 77-92-9:



## SANET SPRAY 10 X 750 ML

WM 1215486

Order number: 0715486

Version 2.15

Revision Date 12.03.2025

Print Date 24.04.2025

Result : Does not cause skin sensitisation.

### ethanol

#### 64-17-5:

Result : Not a skin sensitizer.

### Germ cell mutagenicity

Germ cell mutagenicity : Not Rated

### Components:

#### Sulfuric acid, mono-C12-14-alkyl esters, sodium salts

##### 85586-07-8:

Genotoxicity in vitro : Test Type: Ames test  
Method: OECD Test Guideline 471  
Result: negative

Carcinogenicity : Not Rated

Reproductive toxicity : Not Rated

STOT - single exposure : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Repeated dose toxicity

### Components:

#### Citric acid

##### 77-92-9:

Species : Rat  
NOAEL : 4.000 mg/kg  
LOAEL : 8.000 mg/kg  
Application Route : Oral  
Exposure time : 10 d

### ethanol

#### 64-17-5:

Species : Rat, male  
NOAEL : > 20 mg/kg  
Method : OECD Test Guideline 403

Species : Rat, female  
NOAEL : 1.730 mg/kg  
Method : OECD Test Guideline 408

#### Sulfuric acid, mono-C12-14-alkyl esters, sodium salts

##### 85586-07-8:



## SANET SPRAY 10 X 750 ML

WM 1215486

Order number: 0715486

Version 2.15

Revision Date 12.03.2025

Print Date 24.04.2025

NOAEL : 488 mg/kg

Aspiration toxicity : Not Rated

### 11.2 Information on other hazards

#### Further information

#### Product:

Remarks : No data available

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

#### **Citric acid, citric acid**

#### **77-92-9:**

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 440 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.535 mg/l  
Exposure time: 24 h  
Test Type: static test

EC50 (Daphnia magna (Water flea)): ca. 120 mg/l  
Exposure time: 72 h

Toxicity to algae/aquatic plants : NOEC (Scenedesmus quadricauda (Green algae)): 425 mg/l  
Exposure time: 8 Days  
Test Type: static test

Toxicity to microorganisms : (Pseudomonas putida): > 10.000 mg/l  
Exposure time: 16 h

#### **ethanol**

#### **64-17-5:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 13 g/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

LC50 (Leuciscus idus (Golden orfe)): 8.150 mg/l  
Exposure time: 48 h

LC50 (Pimephales promelas (fathead minnow)): > 0,1 g/l  
Exposure time: 96 h

LC50 (Fish): 11.200 mg/l

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 12.340 mg/l  
Exposure time: 48 h

EC50 : 5.012 mg/l



## **SANET SPRAY 10 X 750 ML**

**WM 1215486**

**Order number: 0715486**

Version 2.15

Revision Date 12.03.2025

Print Date 24.04.2025

- Toxicity to algae/aquatic plants : EC50 (*Chlorella vulgaris* (Fresh water algae)): 275 mg/l  
Exposure time: 72 h  
Test Type: Growth inhibition  
Method: OECD Test Guideline 201
- EC50 (*Scenedesmus capricornutum* (fresh water algae)): 12.900 mg/l  
Exposure time: 48 h  
Test Type: Growth inhibition  
Method: No information available.
- EC0 (*Scenedesmus quadricauda* (Green algae)): 5.000 mg/l  
Exposure time: 168 h
- EC50 : 4.432 mg/l
- EC10 : 11,5 mg/l
- EC10 : 280 mg/l
- Toxicity to microorganisms : EC50 (*Pseudomonas putida*): 11.800 mg/l  
Exposure time: 16 h  
Test Type: Cell multiplication inhibition test

### **Sulfuric acid, mono-C12-14-alkyl esters, sodium salts**

#### **85586-07-8:**

- Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 3,6 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 4,7 mg/l  
Exposure time: 48 h
- Toxicity to algae/aquatic plants : EC50 (*Desmodesmus subspicatus* (green algae)): 20 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- NOEC : 0,6 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- Toxicity to fish (Chronic toxicity) : > 1,357 mg/l  
Exposure time: 42 d  
Species: *Pimephales promelas* (fathead minnow)

## **12.2 Persistence and degradability**

### **Components:**

#### **Citric acid, citric acid**

#### **77-92-9:**

- Biodegradability : Result: Readily biodegradable.  
Biodegradation: 97 %  
Exposure time: 28 d  
Method: OECD 301 B
- Result: Readily biodegradable.  
Biodegradation: 100 %

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Tana-Chemie GmbH  
Werner & Mertz Group

## SANET SPRAY 10 X 750 ML

WM 1215486

Order number: 0715486

Version 2.15

Revision Date 12.03.2025

Print Date 24.04.2025

Exposure time: 19 d  
Method: OECD 301 E

Biochemical Oxygen Demand (BOD) : 526 mg/g

Chemical Oxygen Demand (COD) : 728 mg/g

ThOD : 0,75 g/g

### ethanol

#### 64-17-5:

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 97 %  
Method: OECD Test Guideline 301

### Sulfuric acid, mono-C12-14-alkyl esters, sodium salts

#### 85586-07-8:

Biodegradability : Result: Readily biodegradable.  
Biodegradation: > 60 %  
Exposure time: 28 d  
Method: OECD 301 B

Result: rapidly biodegradable  
Biodegradation: > 90 %  
Exposure time: 28 d  
Method: OECD 301 D

## 12.3 Bioaccumulative potential

### Components:

#### Citric acid, citric acid

##### 77-92-9:

Bioaccumulation : Remarks: No bioaccumulation is to be expected (log Pow <= 4).

### ethanol

#### 64-17-5:

Bioaccumulation : Concentration: 3,2 mg/l

Partition coefficient: n-octanol/water : log Pow: -0,32

### Sulfuric acid, mono-C12-14-alkyl esters, sodium salts

#### 85586-07-8:

Bioaccumulation : Remarks: No bioaccumulation is to be expected (log Pow <= 4).

Partition coefficient: n-octanol/water : log Pow: -2,42

## 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

### Product:



## SANET SPRAY 10 X 750 ML

WM 1215486

Order number: 0715486

Version 2.15

Revision Date 12.03.2025

Print Date 24.04.2025

Assessment : This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).. This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

### Components:

**Citric acid, citric acid**

**77-92-9:**

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB).

### 12.6 Endocrine disrupting properties

No data available

### 12.7 Other adverse effects

#### Product:

Additional ecological information : There is no data available for this product.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : In accordance with local and national regulations.

Contaminated packaging : Empty remaining contents.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.

Waste Code : European Waste Catalogue  
20 01 29\*  
According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

---

## SECTION 14: Transport information

### 14.1 UN number or ID number

**ADR**

Not dangerous goods

**RID**

Not dangerous goods

**IMDG**

Not dangerous goods

**IATA**

Not dangerous goods

### 14.2 UN proper shipping name

Not regulated as a dangerous good

### 14.3 Transport hazard class(es)

**ADR**

Not dangerous goods



## SANET SPRAY 10 X 750 ML

WM 1215486

Order number: 0715486

Version 2.15

Revision Date 12.03.2025

Print Date 24.04.2025

**RID**

Not dangerous goods

**IMDG**

Not dangerous goods

**IATA**

Not dangerous goods

### 14.4 Packing group

**ADR**

Not dangerous goods

**RID**

Not dangerous goods

**IMDG**

Not dangerous goods

**IATA**

Not dangerous goods

### 14.5 Environmental hazards

**ADR**

Not dangerous goods

**RID**

Not dangerous goods

**IMDG**

Not regulated as a dangerous good

**IATA**

Not dangerous goods

### 14.6 Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.

For personal protection see section 8.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. : Not applicable

TA Luft List (Germany) : Total dust: Not applicable  
: Inorganic substances in powdered form: Not applicable  
: Inorganic substances in vapour or gaseous form: Not applicable  
: Organic Substances: : portionClass 1: 4,46 %  
: Carcinogenic substances: Not applicable  
: Mutagenic: Not applicable  
: Toxic to reproduction: Not applicable

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Tana-Chemie GmbH  
Werner & Mertz Group

## SANET SPRAY 10 X 750 ML

WM 1215486

Order number: 0715486

Version 2.15

Revision Date 12.03.2025

Print Date 24.04.2025

Volatile organic compounds (VOC) content : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)  
Update: Percent volatile: 2,96 %

according to Detergents Regulation EC 648/2004 : <5% anionic surfactants, non-ionic surfactants, perfumes

### 15.2 Chemical safety assessment

#### SECTION 16: Other information

##### Full text of H-Statements

H225 : Highly flammable liquid and vapour.  
H302 : Harmful if swallowed.  
H315 : Causes skin irritation.  
H318 : Causes serious eye damage.  
H319 : Causes serious eye irritation.  
H335 : May cause respiratory irritation.  
H412 : Harmful to aquatic life with long lasting effects.

##### Full text of other abbreviations

Acute Tox. : Acute toxicity  
Aquatic Chronic : Long-term (chronic) aquatic hazard  
Eye Dam. : Serious eye damage  
Eye Irrit. : Eye irritation  
Flam. Liq. : Flammable liquids  
Skin Irrit. : Skin irritation  
STOT SE : Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail;

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Tana-Chemie GmbH  
Werner & Mertz Group

## SANET SPRAY 10 X 750 ML

WM 1215486

Order number: 0715486

Version 2.15

Revision Date 12.03.2025

Print Date 24.04.2025

SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECl - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

**Classification of the mixture:**

**Classification procedure:**

Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REG\_EU / EN

50000005207